





## 

# Certification for Safe Transport of Chemical Goods

#### 锂电池类货物

样品名称: 锂二氧化锰电池 CR17450 3.0V 2300mAh 6.9Wh

Sample name: Li-/Mn02 Battery CR17450 3. 0V 2300mAh 6. 9Wh

委托单位: 惠州亿纬锂能股份有限公司 EVE Energy Co., Ltd

生产单位: 惠州亿纬锂能股份有限公司 EVE Energy Co., Ltd



上海化工院检测有限公司

Shanghai Research Institute of Chemical Industry Testing Co., Ltd





#### 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2119371954 Page 1/3

Sa	品名称 mple ame	中文 Chinese 英文 English	锂二氧化锰电池 CR1 Li-/MnO2 Battery C	7450 3.0V	2300mAh 6.	. 9Wh 6. 9Wh	rage 1/3
	委托 Cons		惠州亿纬锂能股份有阿 EVE Energy Co., Ltd				
生产单位 Manufacturer 检验方法、程序 Inspection method and procedure			惠州亿纬锂能股份有限公司 EVE Energy Co., Ltd 国际海事组织《国际海运危险货物规则》(2016版) IMO International Maritime Dangerous Goods Code (2016 Edition)				
	样品外观 Sample appearance 包装件信息		黑色, 橙色, 白色三色圆柱型外壳 Black, orange or white Cylinder shell 重量≤30kg。 Weight≤30kg.				
序号 NO.			型号 Model		容量Capac /锂含量Li coi	ity ntent	放置方式 Placement
1	Primary	Li-metal cell 危险性识别(F	CR17450 Hazards identificatio	on)	2300mAh / 0		电池单独运输 Battery only
鉴定	DENTI FI 根	据特殊规定188, e article is n	海事组织《国际海运危	其他条款限制			
结	§ 无	包装要求 (Pac 。 ne.	kaging requirements)				
论 		检验日期: Inspection Date		发日期: sue Date: 20	18-12-31	生效日期 Effective Da	0010 01 01
备注 Comm	751-41				. (	學學	公松剛专用章

批准 Approver: 指小W

审核 Checker:

Appraiser:



### 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2119371954 Page 2/3

本报告所文包装件能够 Lithium ce applicable The package	检验结果及其他事项 Inspection results and other things 述锂电池按照《国际海运危险货物规则》(2016版)2.9.4.5规定的质量管理体系进行制造。 cells and batteries listed in this report were manufactured under the quality management as a described in IMDG CODE 2016 EDITION 2.9.4.5.  述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 逐承受1.2m跌落试验。 ells and batteries listed in this report are of the types proven to meet the requirements of each a test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3.
本报告所文包装件能够 Lithium ce applicable The package	透明 and batteries listed in this report were manufactured under the quality management as as described in IMDG CODE 2016 EDITION 2.9.4.5.  述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。  够承受1.2m跌落试验。 ells and batteries listed in this report are of the types proven to meet the requirements of each as test in the UN Manual of Tests and Criteria. Part III. subspacetion 28.2
2 applicable The package The	罗承安1. Zm跃落试验。 ells and batteries listed in this report are of the types proven to meet the requirements of each
Bithium chattery a  电池具有近Cells and  4  每个包装件 Each packs	ge has passed the 1.2m drop test.
Gells and 4 每个包装件 Each packs	全封装在内包装内,位于坚固的外包装中。 cells and batteries are packed in inner packagings that completely enclose the cell or and placed in a strong outer packaging.
Each pack	适当的防短路措施。 i batteries are properly protected to prevent short circuits.
/	件必须标示恰当的锂电池标记。 tage shall be marked with the appropriate lithium battery mark.
6	
7	





#### 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2119371954 Page 3/3







