

空运
By Air



仅限货机
CAO



NO.2120019979



货物运输条件鉴定书

Certification

for Safe Transport of Chemical Goods

危险品

样品名称： 锂亚硫酰氯电池 ER26500 3.6V 8.5Ah 30.6Wh

Sample name: Li/SOCL2 Battery ER26500 3.6V 8.5Ah 30.6Wh

委托单位： 惠州亿纬锂能股份有限公司
EVE Energy Co., Ltd

生产单位： 惠州亿纬锂能股份有限公司
EVE Energy Co., Ltd



上海化工院检测有限公司

Shanghai Research Institute of Chemical Industry Testing Co., Ltd

空运
By Air

空运
By Air

货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2120019979

Page 1/3

样品名称 Sample name	中文 Chinese	锂亚硫酰氯电池 ER26500 3.6V 8.5Ah 30.6Wh		
	英文 English	Li/SOCL2 Battery ER26500 3.6V 8.5Ah 30.6Wh		
委托单位 Consignor		惠州亿纬锂能股份有限公司 EVE Energy Co., Ltd		
生产单位 Manufacturer		惠州亿纬锂能股份有限公司 EVE Energy Co., Ltd		
检验方法、程序 Inspection method and procedure		国际航空运输协会《危险品规则》61版 IATA Dangerous Goods Regulations (DGR) 61st Edition		
样品外观 Sample appearance		红色, 黑色, 白色三色圆柱型塑料薄膜外壳 Red, black and white Cylinder plastics film shell		
包装件信息 Package information		/		
序号 NO.	电池种类 Battery type	型号 Model	容量Capacity / 锂含量Li content	放置方式 Placement
1	不可充电锂金属电池芯 Primary Li-metal cell	ER26500	8.5Ah / 2.2g	电池单独运输 Battery only
鉴 定 结 论	I D E N T I F I C A T I O N C O N C L U S I O N	<p>1. 危险性识别 (Hazards identification) 杂项。 Miscellaneous.</p> <p>2. 空运按照国际航空运输协会《危险品规则》办理的类项 (Suggestion according to IATA DGR) Shipping name: Lithium metal batteries Class or division: 9 UN Number: UN3090</p> <p>3. 包装要求 (Packaging requirements) 按包装说明968第IA部分要求办理。 The goods are packaged according to the Packaging Instruction 968 section IA.</p> <p>仅限货机。 Cargo Aircraft Only.</p> <p style="text-align: right;">检验日期: 2019-12-17 签发日期: 2019-12-17 生效日期: 2020-01-01 Inspection Date: Issue Date: Effective Date:</p>		
备注 Comment	/			



批准
Approver:

审核
Checker:

主检
Appraiser:




货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2120019979

Page 2/3



序号 No.	检验结果及其他事项 Inspection results and other things
1	<p>本报告所述锂电池按照《危险品规则》(61版)[以下简称DGR] 3.9.2.6.1(e)规定的质量管理体系进行制造。</p> <p>本报告所述锂电池不属于因安全原因召回的锂电池。</p> <p>本报告所述锂电池不进行以回收或处置为目的的航空运输, 不属于废弃锂电池。</p> <p>Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in IATA DGR 61st 3.9.2.6.1(e).</p> <p>Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons.</p> <p>Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipped for recycling or disposal.</p>
2	<p>本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。</p> <p>Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3.</p> <p>UN38.3试验概要编号The UN38.3 Test Summary No. (s) 811900300449652</p> <p>详细信息请扫描右侧二维码。Please scan the QR code on the right for more information.</p> 
3	<p>锂电池必须完全封装在内包装内, 位于坚固的外包装中。完成包装件必须满足II级包装的性能要求。</p> <p>Lithium cells and batteries must be packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging. The completed package must meet the Packing Group II performance requirements.</p>
4	<p>电池具有适当的防短路措施。</p> <p>Cells and batteries are properly protected to prevent short circuits.</p>
5	<p>每个包装件必须使用9类锂电池危险性标签(DGR图7.3.X)。</p> <p>每个包装件必须贴有“仅限货机”标签(DGR图7.4.B)。</p> <p>Each package must be labelled with the Class 9-Lithium Battery hazard label(Figure 7.3.X in IATA DGR).</p> <p>Each package must be labelled with the "Cargo Aircraft Only" label(Figure 7.4.B in IATA DGR).</p>
6	<p>电池不得与第1类爆炸品(1.4S项除外), 2.1项易燃气体, 第3类易燃液体, 4.1项易燃固体或5.1项氧化性物质等危险品包装在同一外包装或集合包装内。</p> <p>Cells and batteries must not be packed in the same outer packaging or overpack with dangerous goods classified in Class 1 (explosives) other than Division 1.4S, Division 2.1 (flammable gases), Class 3 (flammable liquids), Division 4.1 (flammable solids) or Division 5.1 (oxidizers).</p>
7	/
-验证码:181995-	

货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2120019979

Page 3/3



报告结束

